

AIR QUALITY MONITORING SYSTEM

Taylor Hennessy, Nicole Larson, Kurt Hibert, Dr. David Delene, Dr. Frank Bowman
University of North Dakota, 264 Centennial Drive Stop 7144, Grand Forks, ND 58202




OBJECTIVES


- Setup an air quality monitoring system.
- Determine if the inside or outside air quality is better.

BACKGROUND

- Air Quality is the monitoring of the air pollutants in the air. The sources of air pollution are:
 - Stationary- factories, and plants
 - Mobile- cars, planes, and trains
 - Small- dry cleaners
 - naturally occurring- windblown dust
- Particulate Pollution 2.5 (PM_{2.5}) is solid and liquid substances in the air that have a diameter less than 2.5 μm. These fine particles are created by combustion. High levels of this can cause damage to the cardiovascular and respiratory systems, and worsen lung or heart disease.



- Ozone is smog created by NO_x, volatile organic compounds, sunlight, and heat. High levels of this can cause damage to the respiratory systems, and worsen lung disease.




Air Quality Index Chart

Air Quality Index (AQI) Values	Levels of Health Concern	Colors
When the AQI is in this range:	...air quality conditions are:	...as symbolized by this color:
0 to 50	Good	Green
51 to 100	Moderate	Yellow
101 to 150	Unhealthy for Sensitive Groups	Orange
151 to 200	Unhealthy	Red
201 to 300	Very Unhealthy	Purple
301 to 500	Hazardous	Maroon


MATERIALS AND METHODS

- Instruments Used:
 - Tapered Element Oscillating Microbalance (TEOM) 1405-DF- measures PM_{2.5} and PM_{1.0} (μg/m³)
 - TSI Condensation Particle Counter (CPC) 3771- counts the condensed particles (#/cm³)
 - Thermo Scientific 49C O3 analyzer - measure ozone concentration (ppb)
 - Thermo Scientific 42C NO_x analyzer - measure NO_x concentration (ppb)
 - Thermo Scientific 49C SO2 analyzer - measure SO₂ concentration (ppb)
- Before the instruments were connected, they were arranged on the table.
- Stainless steel tubes were used for the inlet streams. Plastic tubes were used for the outlet streams and the bypass line. These tubes were connected by using Swagelok products.




RESULTS


TEOM 1405-DF Indoors



TEOM 1405-DF Outside



Air Quality Index



- The captions on the AQI graph are the daily primary pollutants. The color of the captions resemble the levels of health concern.

CONCLUSIONS

- The TEOM 1405-DF results show that PM_{2.5} weighs more than PM_{1.0}.
- The outside results show higher PM_{2.5} concentration than the inside.
- According to the air quality index results, the inside air quality is better than the outside air quality.
- The air quality system setup is complete.
- Future Work:
 - Calibrate Instruments
 - Put data Online
 - Investigate why PM 1.0 values are so low

ACKNOWLEDGEMENTS

- Dr. David Delene
- Dr. Frank Bowman
- Nicole Larson
- Kurt Hibert

This material is based upon work supported by the National Science Foundation under Grant No. CHE 1460825, CHE 1156584, IIA-1330840 and IIA-1330842. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of the National Science Foundation.

REFERENCES

- Air Quality. (2016, June 08). Retrieved from <https://www3.epa.gov/airquality/cleanair.html>
- Your Health. (2016, January 22). Retrieved from <https://airnow.gov/index.cfm?action=topics.health>
- Air Quality Monitoring. (2016, July) Retrieved from <http://atmoswiki.aero.und.edu/atmos/citation/instruments/home/ch423>
- What is Ozone?. (2016). Retrieved from <http://houstoncleanairnetwork.com/what-is-ozone>

